



Richards-Wilcox

Engineered for Life

Residential Product Catalogue



R-W Landmark

Series™

Canada's Highest Quality Garage Doors, Since 1912
Contact an R-W Authorized Dealer Today!



OUR HISTORY

Canada's Highest Quality Doors, Since 1912

Celebrating Over 100 Years In Business

Richards-Wilcox was incorporated in Canada in 1912, making us the oldest door company in the world. We're proud of our long history of quality products and we've built upon that history to bring you the exceptional line of residential Garage Doors we offer today.

At Richards-Wilcox, we are committed to making the next chapter of our history just as exciting as the first. We are passionate innovators of garage door design and desire to be the highest quality door systems manufacturer in the world.

GARAGE DOOR COLLECTIONS



ROCKWOOD
PAGE 6



**ROCKWOOD
CONTEMPORARY**
PAGE 8




ECHO RIDGE XL
PAGE 10




ECHO RIDGE
PAGE 12



BRIARCREST
PAGE 14




GRANDVIEW
PAGE 16



PREMIUM
PAGE 18



**PREMIUM
CONTEMPORARY**
PAGE 20



CLASSIC
PAGE 22



R-W AUTHORIZED DEALERS

A door is only as good as its installation. That's why our doors are only installed by Authorized Dealers. This process ensures that every installation meets our standards of quality.



MADE IN CANADA

Richards-Wilcox Canada has been in business for over 100 years; from parts, hardware to panels, RW doors are proudly made in Canada.



LIMITED LIFE TIMER™ WARRANTY

There are enough worries in life – your garage door shouldn't be one of them. When you choose Richards-Wilcox, you've chosen the best garage door you can buy and we'll back that up in writing with our Limited Life-Timer™ Warranty

WEATHERLOCK™ SYSTEM

Unique Section Joint & Perimeter Door Seal System

Landmark doors incorporate R-W's exclusive WeatherLock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to increase effectiveness of the air and water infiltration, while providing unyielding section strength and integrity. R-W's Dual Fin, Triple Contact Weather Seal is engineered to seal out dirt, bugs, wind, snow and water and match up beautifully with most garage styles and colors. Our Arctic Grade Bulb Shaped Bottom Seal with a rust resistant Dual Contact aluminum retainer increasing the strength of the bottom edge of the door.



NEUFOAM™

It's What's Inside That Counts!

In order to achieve the highest thermal values and stability, R-W sections are evenly filled environmentally friendly CFS/HCFC-free Neufoam™. The higher density polyurethane insulation in a computer controlled continuous process provides uniform insulation, superior adhesion and excellent strength to the door panels.



ENGINEERED GARAGE DOOR SYSTEM

Our Garage Doors Last A Lifetime

Engineered and tested door systems that conform to the highest industry standards and regulations. R-W manufactures all door panels and major hardware components, giving R-W complete quality control from start to finish.

TRU-BALANCE™ DRUM SYSTEM

Manually Operate Your Garage Doors in Emergency Situations

The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard. This improved drum configuration delivers a smoother operation, and more control, as the door moves through the track radius in to the horizontal plane. Homeowners will have a piece of mind that they can safely operate their garage door with ease in emergency situations. TruBalance™ also reduces the load on your electric door opener extending the service free life span.



INTRODUCING THE R-W **Landmark** Series™

The Newest Line of High-Performance Garage Door Systems By **Richards-Wilcox.**

Since 1912, Richards-Wilcox Canada have been manufacturing quality doors in Canada for over 100 Years. Richards-Wilcox Residential Doors are not only one of the strongest, most efficient door systems in the world, but also offer a complete range of residential garage doors that will make your home look beautiful for years to come.

The **R-W** Landmark Series Collections Include:

- **Rockwood** L200RW
- **Rockwood Contemporary** L200RWC
- **Echo Ridge XL** L200ERX
- **Echo Ridge** L138RW
- **Briarcrest** L200BR
- **Grandview** L200GV
- **Premium** L200
- **Premium Contemporary** L200C
- **Classic** L138

NEUFOAM™
Continuous polyurethane Insulated Core of high density resulting in two energy saving R-Values (R-12 and R18)

AUTHENTIC WOODGRAIN EMBOSSING
The aesthetic of real wood without the maintenance hassle.


HIGH-STRENGTH, RUST-RESISTANT, PRE-PAINTED GALVANIZED STEEL SHEETS
Available in a variety of colours to match the beauty of your home.

WEATHERLOCK™ SECTION JOINT
Landmark doors incorporate R-W's exclusive WeatherLock™ Section Joint. R-W's modified tongue and groove joint moves the joint closer to the exterior of the door face to increase effectiveness of the air and water infiltration, while providing unyielding section strength and integrity.

Bulb Seal-Prevents air leaks.
Thermal Break-Prevents heat transfer, Air Infiltration

GALVANIZED STEEL ENDCAPS
Heavy duty for additional strength.

ARCTIC GRADE BULB SHAPED BOTTOM SEAL
With a rust resistant aluminum retainer increasing the strength of the bottom edge of the door










**R-W LANDMARK
SERIES™**

ROCKWOOD L200RW Collection

Handcrafted overlays of clear red cedar can be stained to enhance the richly grained wood's beauty and match your home's exterior detail. When painting your door, flush boards and overlays made of a composite material offer a cost savings and no end of color options for a truly custom look.



POPULAR STYLES





R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
19.35*	2-13/16"	18"/21"/28"/32" 6'-6" to 12' in 3" Increments	18' X 10'

*R-Value calculated on 1" Cedar Board



Limited LifeTimer™ Warranty

For As Long As You Own Your Home

FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Matching cedar capped channels blend evenly into the custom coloured panels.
- › Ability to match any arched header-can be constructed to match any opening.

CUSTOM COLORS



Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.



TruBalance
Drum System™



Neufoam™



WeatherLock™
System

**R-W LANDMARK
SERIES™**



ROCKWOOD CONTEMPORARY L200RWC Collection




V-GROOVE



Cedar boards are cut at a 45° angle and fit together to form a V-Groove. Available in 3" or 5" (76mm or 127mm) tongue-and-groove.

COMPOSITE MATERIAL CUSTOM COLOUR




1/2" Extra composite material. A treated exterior smooth surface provides a flat exterior for painted doors.



Please see your R-W Authorized Dealer for complete details on overlay. With both paint and stain grade options available, your door can be customized to match your home's exterior styling.

Talk to your R-W Garage Doors dealer about all the different color options for your door.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
19.35*	2-5/8"	18"/21"/28"/32" 7'- to 10' in 4" Increments	18' X 10'

FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Matching cedar capped channels blend evenly into the custom coloured panels.
- › Ability to match any arched header-can be constructed to match any opening.

This is a small sampling of the Rockwood Contemporary Panel Options Custom designs are available. See dealer for details.

*R-Value calculated on 1" Cedar Board



Limited LifeTimer™ Warranty
For As Long As You Own Your Home



TruBalance Drum System™



Neufoam™



WeatherLock™ System

**R-W LANDMARK
SERIES™**




ECHO RIDGE XL

L200ER

Collection

PANEL STYLES



A-BUCK

V-BUCK


X-BUCK

SWING

BI-FOLD

DOUBLE BI-FOLD

WINDOW OPTIONS



1 PANE

1 PANE ARCHED

3 PANE

3 OVER 3 PANE

3 OVER 3 PANE ARCHED

Note: All Overlay options are available without windows





COLOUR OPTIONS

Door Base



Board



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	28"/32" 7'- to 10' in 4" Increments	18' X 10'

FEATURES & BENEFITS

Unique 3 section construction and large top section window adds beauty to your home.

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 9 colours to choose from including the new black, brown, café and desert tan.
- › 2 Overlay Colours-White and Sandstone



Limited LifeTimer™ Warranty
For As Long As You Own Your Home



TruBalance
Drum System™



Neufoam™



WeatherLock™
System

**R-W LANDMARK
SERIES™**


ECHO RIDGE

L138ER

Collection




PANEL OPTION



A-BUCK




V-BUCK



X-BUCK




SWING



BI-FOLD

Note: All Overlay options are available without windows


WINDOW OPTIONS



1 PANE



1 PANE ARCHED



3 PANE



3 OVER 3 PANE



3 OVER 3 PANE ARCHED



COLOUR OPTIONS

Door Base



Board



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
12	1-3/8"	18" / 21" / 24" 6'-6" to 10' in 6" Increments	18' X 10'

FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 5 panel styles to choose from
- › 9 colours to choose from including the new black, brown and desert tan.
- › 2 Overlay Colours-White and Sandstone



Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance
Drum System™



Neufoam™



WeatherLock™
System

**R-W LANDMARK
SERIES™**



BRIARCREST L200BC Collection


PANEL OPTION



A-BUCK



X-BUCK



V-BUCK



SWING




BI-FOLD


Note: Panel styles are available without windows.
Decorative Hardware does not come standard.

WINDOW OPTIONS


WROUGHT IRON




4-OVER-4 PANE



4 PANE




CLEAR



Note: Available In Clear & Obscure Insulated Glass.



COLOUR OPTIONS



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24"	18' X 12'

FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › Large top window section and new recessed smooth designs to add sheer elegance to your home.
- › 9 colours to choose from.
- › 5 panel styles including the customer preferred Smooth Designs.



Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance
Drum System™



Neufoam™




WeatherLock™
System

**R-W LANDMARK
SERIES™**


GRANDVIEW L200GV Collection



PANEL STYLES



WINDOW OPTIONS






COLOUR OPTIONS



*Not Available in Recessed Grooved Panel Styles.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24"	18' X 12'

FEATURES & BENEFITS

- ▶ Neufoam™; Insulated polyurethane core to ensure energy efficiency
- ▶ TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- ▶ WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- ▶ Large top window section and new recessed smooth designs to add sheer elegance to your home.
- ▶ 10 colours to choose from including 2 new shades and an authentic New Walnut wood tone.
- ▶ 8 panel styles including the new Recessed Grooved Ranch, the Recessed Grooved Colonial and Recessed Ranch Smooth



Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance
Drum System™



Neufoam™



WeatherLock™
System

**R-W LANDMARK
SERIES™**

PREMIUM L200 Collection




PANEL STYLES



RAISED RANCH



RAISED COLONIAL




FLUSH




PLANK



MIXED PANEL



RECESSED GROOVED COLONIAL



RECESSED GROOVED RANCH




RECESSED SMOOTH RANCH



WINDEMERE

POPULAR MIXED PANEL OPTIONS





COLOUR OPTIONS



*Not Available in Recessed Colonial Grooved or Recessed Ranch Grooved

DISTINCT FINISH WOODTONES

Distinct Finish Woodtones™ simulate the look of an authentic woodgrain door on a durable and long-lasting, steel door base. Oak woodgrain patterns run vertical between the embossed panels and horizontal with the rails to deliver a true grain appearance.



**Not available in Flush and Plank



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24" 6'-6" to 12' in 3" Increments	20' X 12'

FEATURES & BENEFITS

- ▶ Neufoam™; Insulated polyurethane core to ensure energy efficiency
- ▶ TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- ▶ WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- ▶ 2" Inch Panel Thickness
- ▶ 9 panel styles to chose from.
- ▶ 12 colours to choose from including the two new Distinct Finish Woodtones™



Limited LifeTimer™ Warranty

For As Long As You Own Your Home



TruBalance
Drum System™



Neufoam™



WeatherLock™
System

**R-W LANDMARK
SERIES™**


PREMIUM CONTEMPORARY L200C Collection

Customize your garage door look with your own personal style, with the ability to place windows in any location on your door. Create a contemporary look and get creative in your window placement for a one-of-a-kind look.

PANEL STYLES



PLANK



FLUSH

WINDOW OPTIONS




Aluminium

Colonial

Ranch


POPULAR WINDOW CONFIGURATIONS

The Contemporary Series is available in many different window configurations. Talk to your RW dealer to discuss. Multiple glazing configurations available.





COLOUR OPTIONS



FEATURES & BENEFITS

- › Neufoam™; Insulated polyurethane core to ensure energy efficiency
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 10 colours to choose from including the new authentic Walnut woodlook tone.
- › 2 panel styles to choose from.
- › 3 Windows Choices-Double Pane Colonial and Ranch and Double Pane Aluminium.

R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
18	2"	18" / 21" / 24" 6'- 6" to 12' in 3" Increments	18' X 10'

WARRANTY
Limited Life Timer™ Warranty
 For As Long As You Own Your Home



Neufoam™

WeatherLock™ System

CLASSIC L138 Collection




PANEL STYLES



RAISED RANCH




RAISED COLONIAL



FLUSH



PLANK



RECESSED GROOVED COLONIAL



RECESSED GROOVED RANCH




WINDEMERE



COLOUR OPTIONS



*Not Available in Recessed Grooved and Windemere.



R-VALUE	DOOR THICKNESS	SECTION HEIGHTS	MAX DOOR SIZE
12	1-3/8"	18" / 21" / 24" 6'-6" to 12' in 3" Increments	20' X 12'

FEATURES & BENEFITS

- › Neufoam™ Insulated polyurethane core to ensure energy efficiency
- › TruBalance™ Drum System: The patent pending TruBalance™ Drum System provides doors built with a heavy weighted glazed top section with up to an 87% better balance than industry standard.
- › WeatherLock™ System featuring our exclusive WeatherLock™ Section Joint, Dual Fin Triple Contact Weather Seal and Arctic Grade Bulb Shaped Bottom Seal with a Dual Contact aluminum retainer.
- › 10 colours to choose from
- › 7 panel styles to chose from.
- › 3 Windows Choices-Double Pane Colonial and Ranch and Double Pane Aluminium.



Limited Life Timer™ Warranty
For As Long As You Own Your Home



TruBalance Drum System™



Neufoam™



WeatherLock™ System

CLASSIC & PREMIUM WINDOW COLLECTION

When it comes to choosing the right window design for your garage door, no one can help you like your authorized R-W Dealer to achieve that perfect finishing touch to your new garage door. Once you've made your choice, that same R-W professional will install your new garage door, ensuring maximum performance and reliability. Your technician will check your door for everything from safety to performance and appearance. Trust your R-W garage door to someone who knows it better than anyone else, your professional RW Dealer.

DECORATIVE INSERTS



CLEAR



ARCHED STOCKTON RANCH



SHERWOOD



CLEAR RANCH



PRAIRIE



SUNBURST RANCH



PRAIRIE RANCH



CATHEDRAL



WATERTON



WATERTON RANCH



CASCADE



CASCADE RANCH



STOCKBRIDGE RANCH



ARCHED STOCKBRIDGE RANCH



STOCKTON



STOCKTON RANCH



SUNBURST 4



SUNBURST 5



SUNBURST 6



SUNBURST 7



SUNBURST 8



SUNBURST 9



SUNRAY (4 PANEL)



BRECKENRIDGE



BERKSHIRE

ROUND BAR

3/8" (10 mm) round bars available in pewter. Standard with clear glass; obscure and satin glass optional.



SQUARE BAR

3/8" (10 mm) square bars available in black. Standard with clear glass; obscure and satin glass optional.



ALUMINUM GRID

5/8" (16 mm) grids available in **sandstone, desert tan, almond, bronze, brown (walnut only), cafe, charcoal, white** and **black**. Standard with clear double glass; pinhead double glass is optional.



GLASS OPTIONS



CLEAR



OBSCURE



SATIN

FRAME COLOURS

Window frames available in all colours and wood finishes. Insert for wood-look matched to the colour not grain.



**R-W LANDMARK
SERIES™**



DECORATIVE HARDWARE



16" CAST IRON SPEAR HINGE



16" CAST IRON COLONIAL HINGE



16" STAMPED SPADE HINGE



16" CAST IRON SPEAR HINGE ASSEMBLY

MAGNETIC HARDWARE



**MANOR
COLLECTION**

**COLONIAL
COLLECTION**

**MISSION
COLLECTION**



**CAST IRON
COLONIAL
PULL HANDLE**

**CAST IRON
SPEAR
PULL HANDLE**

**ARCHED CAST
IRON
FLEUR-DE-LYS
PULL HANDLE**

**STAMPED
SPADE
PULL HANDLE**



**CAST IRON
COLONIAL
LIFT HANDLE**

**CAST IRON
SPEAR
LIFT HANDLE**

**CAST IRON
FLEUR-DE-LYS
LIFT HANDLE**

**STAMPED
SPADE
LIFT HANDLE**



KEYED + DUMMY L-HANDLE

**KEYED + DUMMY SPADE
L-HANDLE**



**CAST IRON FLEUR-DE-LYS
DUMMY HANDLE**



**CAST IRON L-HANDLE
LONG DUMMY HANDLE**



**CAST IRON FLEUR-DE-LYS
DOOR KNOCKER**



**CAST IRON LION'S HEAD
DOOR KNOCKER**



CAST IRON DOOR STUDS



WHY RICHARDS WILCOX?



BUILT TO LAST

Door sections are constructed from high-strength, rust-resistant galvanized steel and coated with a baked-on polyester paint finish. Which means your door will last a really, REALLY long time.



GREEN COMES STANDARD

Our Neufoam™ polyurethane insulation is zero ozone-depleting to help reduce greenhouse gas emissions. Woodgrain embossing simulates real hardwood without depleting our forests.



WEATHER THE CLIMATE

Built to withstand many different weather conditions, our doors have a continuous polyurethane insulated core, arctic-grade bottom seal and dual-seal section joints to help reduce air flow and lower your energy costs.



STEEL IS THE NEW WOOD

Authentic woodgrain texture on panels gives you the aesthetic of wood without the cost or hassle of maintaining it.



Richards-Wilcox
Engineered for Life

R-W Landmark

Series™

**For additional information and friendly advice,
please contact your local Richards-Wilcox dealer**

Professionally installed and serviced by:

RICHARDS-WILCOX GARAGE DOORS

5100 Timberlea Boulevard, Mississauga, Ontario Canada L4W 2S5

Toll Free: 1 (800) 667-1572 | Tel: (905) 625-0037 | Fax: (905) 625-0057 | Email: info@rwdoors.com

www.rwdoors.com